

ROAD COMMISSION FOR OAKLAND COUNTY  
S.A.D. SPECIAL PROVISION  
FOR  
**SUBGRADE UNDERCUTTING, TYPE II, 21AA, SAD**

RCOC/SAD:RS/YE

Page 1 of 1

20SAD205C  
ORG: 01-13-21

**a. Description.**

This work shall be done in accordance with Section 205 of the *2020 Michigan Department of Transportation Standard Specifications for Construction*, except as herein provided. The Engineer will determine the need and use of this special provision.

**b. Materials.**

The backfill material shall be modified dense graded aggregate base 21AA. The dense graded aggregate base 21AA shall meet the requirements given in the Road Commission for Oakland County (R.C.O.C.) special provision for aggregate bases included in this proposal book. The R.C.O.C. will sample the aggregates at the jobsite at any time prior to rolling and compacting, for gradation and other specification compliance testing.

**c. Construction.**

Subgrade undercutting shall be performed where poor subgrade soil is encountered, as determined by the Engineer. The unsuitable soils shall be excavated to a depth as directed by the Engineer and then backfilled with dense graded aggregate base 21AA compacted in place.

**d. Measurement and Payment.**

This work shall be measured in cubic yards based on the lines and dimensions called for on the plans or as directed by the Engineer. The completed work shall be paid for at the contract unit price for the following pay item:

<b>Pay Item</b>	<b>Pay Unit</b>
Subgrade Undercutting, Type II, 21AA, SAD.....	Cubic Yard

Payment for **Subgrade Undercutting, Type II, 21AA, SAD** shall include the aggregate backfill and all equipment, labor, and materials to complete the item.

The Engineer will measure subgrade undercutting in its original position.

The unit price for subgrade undercutting includes the cost of removal and disposal of unsuitable material, and replacement with required material.