

ROAD COMMISSION FOR OAKLAND COUNTY

SPECIAL PROVISION  
FOR

**POST HOLE THROUGH CONCRETE FOR STEEL POST, 10-INCH DIAMETER**

RCOC/TS:AL

PAGE 1 OF 1

RCOC20SP810B  
ORG:01-30-25

**a. Description**

This work consists of drilling a hole through concrete and/or brick pavers for placing steel sign post according to the plans and section 810 of the *Michigan Department of Transportation (MDOT) 2020 Standard Specification for Construction* except as herein provided.

**b. Materials**

All work must be in accordance with the contract documents.

**c. Construction**

Drill post hole through concrete and/or brick pavers with a 10-inch diameter for placement of steel sign post. If installing in new concrete and/or brick pavers, the Contractor may form 10-inch diameter hole before placing new concrete and/or brick pavers. Backfill drilled hole with Class II sand.

**d. Measurement and Payment**

**Pay Item**

**Pay Unit**

Post Hole Through Conc for Steel Post, 10-inch dia ..... Each

**Post Hole Through Conc for Steel Post, 10-inch dia** includes all necessary labor, materials, and equipment to complete the work as described above including but not limited to cost of drilling or saw cutting a hole in the existing concrete and/or brick pavers, cleaning the site, and replacing damaged concrete and/or brick pavers.