

ROAD COMMISSION FOR OAKLAND COUNTY

SPECIAL PROVISION
FOR
SEALING DRAINAGE AND UTILITY STRUCTURE COVERS

RCOC/SAD:RS

Page 1 of 1

20SAD403D
ORIG: 08-01-25

a. Description.

This work shall be done in accordance with the requirements of Section 403 of the *2020 Michigan Department of Transportation (M.D.O.T.) Standard Specifications for Construction*, and as indicated herein.

b. Materials.

All work shall be in accordance with the contract documents. Materials shall be in accordance with Section 403 of the *2020 Michigan Department of Transportation (M.D.O.T.) Standard Specifications for Construction*, and as approved by the Engineer.

c. Construction.

All work shall be in accordance with the contract documents. Seal voids in the upper interior 6 inches of existing masonry and concrete structures where the cover is not adjusted or replaced. This includes voids between the structure materials and the cover/frame. Clean debris from voids before filling/sealing with mortar or approved materials. The finished surface should be smooth and free of voids.

d. Measurement and Payment.

The completed work will be measured and paid for at the contract unit price for the following item:

Pay Item	Pay Unit
Structure Cover Seal, SAD.....	Each

Payment for **Structure Cover Seal, SAD** shall include all labor, equipment and materials necessary to complete this work.

When payment is made for new structure covers or adjusting structure covers, **Structure Cover Seal, SAD** will not be measured and paid for separately.