

ROAD COMMISSION FOR OAKLAND COUNTY

SPECIAL PROVISION
FOR
TREE, REM, __ INCH TO __ INCH, RCOC

RCOC/DESIGN: AP/JO

PAGE 1 OF 1

RCOC20SP202A
ORG:12-09-20

a. Description

This work shall be done in accordance with section 202 of the *Michigan Department of Transportation 2020 Standard Specifications for Construction*, except as herein provided.

b. Materials

All work must be in accordance with the contract documents.

c. Construction

Remove trees within 18-inches of existing ground and dispose from project site. The stumps generated from the tree removals are to remain in place and will be removed with a future contract. Trees are not to be removed until verified by the Engineer. Trees shall be felled without danger to traffic or injury to other trees, structures or property.

d. Measurement and Payment

Pay Item	Pay Unit
Tree, Rem, 3 inch to 18 inch, RCOC	Each
Tree, Rem, 19 inch to 36 inch, RCOC	Each
Tree, Rem, 37 inch or Larger, RCOC	Each

The Engineer will determine the size of the trees by the diameter of the trunk, measured to the nearest full inch, at a point 4 ½ feet above the ground line at the base of the tree. The Engineer will measure trees with major limbs, lower than 4 ½ feet from the ground, at the smallest diameter below the limbs.

Where more than one trunk has grown from a common stump, the Engineer will measure each trunk as a separate tree.

The unit price for tree removal includes all equipment, material, and labor for work of the type required includes the cost to fall and remove the tree from project site.